

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	87	stor\$6 with modified with web with page with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:33
L2	7663224	"5" and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:34
L3	17	1 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:34
L4	0	"09912920"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L5	1136	auto with fill	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L6	385	auto\$7 with fill\$4 with web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L7	66	L6 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L8	2	L7 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L9	66	L6 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46

EAST Search History

L10	4	auto with form with filling with web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L11	85	(auto or automatic\$4) with form with filling with web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L12	2	L11 and ML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L13	37	L11 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L14	2	L13 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L15	2	"6950980".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L16	2	L15 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L17	555	user with specific with data with stored with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L18	2	L17 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L19	0	L18 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46

EAST Search History

L20	2	L17 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L21	2	L17 and L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L22	0	L17 and L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L23	6	L17 and ML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L24	101	L17 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L25	0	L24 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L26	105	L17 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L27	0	L26 and ((auto or automatic\$4) with filling)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L28	2	L26 and (form with filling)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L29	39	user adj specific adj data with stored with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46

EAST Search History

L30	7	L29 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L31	2	"6950980".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L32	0	L31 and user with identified	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L33	0	L31 and (user with identified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L34	0	L31 and (identified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L35	2	L31 and (user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L36	1	L31 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L37	8	restor\$3 with document with server with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L38	1	L37 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L39	0	L38 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46

EAST Search History

L40	13	restor\$3 with document with server and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L41	0	L40 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L42	61	restor\$3 with document with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L43	14	L42 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L44	406	(record\$3 or stor\$3) with (changes or modification) with document with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L45	78	L44 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L46	8	L45 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L47	12	(record\$3 or stor\$3) with (changes or modification) with document with server and restor\$ with document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L48	2	L47 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L49	0	L48 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46

EAST Search History

L50	2	L47 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L51	10	(sav\$4 stor\$5) with server with restor\$4 with (page document) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L52	2	L51 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L53	12	server with restor\$4 with (page document) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L54	3	server with restor\$4 with (page document) with change	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L55	0	L54 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L56	139	server with restor\$4 with (page document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L57	35	server with restor\$4 with (page document) with web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L58	7	L57 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L59	7	L58 not L54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46

EAST Search History

L60	297	personalized with web adj page with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L61	232159	(sav\$4 stor\$5) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L62	269	L60 and L61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L63	8180	(sav\$4 stor\$5) with server with (change modification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L64	11592	(sav\$4 stor\$5) with server with (change modif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L65	10481	(sav\$4 stor\$5) with server with (change modif\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L66	28	L60 and L64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L67	1	L66 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L68	0	"09912920"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L69	1136	auto with fill	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46

EAST Search History

L70	385	auto\$7 with fill\$4 with web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L71	66	L70 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L72	4	auto with form with filling with web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L73	85	(auto or automatic\$4) with form with filling with web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L74	2	L73 and ML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L75	37	L73 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L76	2	"6950980".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L77	555	user with specific with data with stored with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L78	2	L77 and L69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L79	0	L78 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46

EAST Search History

L80	2	L77 and L70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L81	0	L77 and L73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L82	6	L77 and ML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L83	101	L77 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L84	0	L83 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L85	105	L77 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L86	0	L85 and ((auto or automatic\$4) with filling)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L87	39	user adj specific adj data with stored with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L88	2	"6950980".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L89	0	L88 and user with identified	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46

EAST Search History

L90	0	L88 and (user with identified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L91	0	L88 and (identified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L92	8	restor\$3 with document with server with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L93	1	L92 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L94	0	L93 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L95	13	restor\$3 with document with server and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L96	0	L95 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L97	61	restor\$3 with document with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L98	406	(record\$3 or stor\$3) with (changes or modification) with document with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L99	12	(record\$3 or stor\$3) with (changes or modification) with document with server and restor\$ with document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46

EAST Search History

L100	2	L99 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L101	0	L100 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L102	10	(sav\$4 stor\$5) with server with restor\$4 with (page document) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L103	12	server with restor\$4 with (page document) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L104	3	server with restor\$4 with (page document) with change	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L105	0	L104 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L106	139	server with restor\$4 with (page document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L107	35	server with restor\$4 with (page document) with web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L108	7	L107 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L109	297	personalized with web adj page with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46

EAST Search History

L110	232159	(sav\$4 stor\$5) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L111	269	L109 and L110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L112	8180	(sav\$4 stor\$5) with server with (change modification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L113	11592	(sav\$4 stor\$5) with server with (change modif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L114	10481	(sav\$4 stor\$5) with server with (change modif\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L115	28	L109 and L113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L116	1	L88 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L117	1	L92 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L118	1	L115 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L119	2	L71 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46

EAST Search History

L120	66	L70 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L121	2	L75 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L122	2	L76 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L123	2	L77 and L69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L124	2	L85 and (form with filling)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L125	7	L87 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L126	2	L88 and (user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L127	14	L97 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L128	78	L98 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L129	8	L128 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46

EAST Search History

L130	2	L99 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L131	2	L102 and @ad<"20000729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L132	7	L108 not L104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46
L133	2	"20040117849"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 17:46